ELSEVIER

Neuroscience Letters 272 (1999) 215–218

Neuroscience Letters

Author Index to Volume 272

Adler, T., see Weiss, T., 131
Akasu, T., Tsurusaki, M., Interleukin-1β causes a biphasic response in neurons of rat major pelvic ganglia, 119
Akuthota, P., see Rebeck, G.W., 155
Al-Gubory, K.H., Locatelli, A., Intracerebroventricular administration of copper-zinc superoxide dismutase inhibits pulsatile luteinizing hormone secretion in ovariectomized ewes, 159
Amino, Y., see Gemba, H., 49
Amir, S., Cain, S., Sullivan, J., Robinson, B., Stewart, J., In rats, odor-induced Fos in the olfactory pathways depends on the phase of the circadian clock, 175
Angotzi, A.R., Hirano, J., Haamedi, S., Murgia, R., Vallerga, S., Djamgoz, M.B.A., Comparable effects of flickering and steady patterns of light adaptation on photomechanical responses of cones in amphibian (*Xenopus laevis*) retina, 163
Annepu, J., see Balijepalli, S., 203
Archambaud, C., see Pratt, J., 143
Asoh, S., Mori, T., Ohta, S., Practicable recovery of plasmids carrying cDNAs encoding anti-apoptotic factors that had been introduced by particle bombardment into 5-week old rat hippocampal slices, 62

Bagnol, D., see Porcher, C., 111
Balijepalli, S., Annepu, J., Boyd, M.R., Ravindranath, V., Effect of thiol modification on brain mitochondrial complex I activity, 203
Ballinger, M.L., see Blanchette, A.R., 147
Bauer, G.L., see Benloucif, S., 67
Beal, M.F., see Polidori, M.C., 53
Benloucif, S., Bauer, G.L., Dubocovich, M.L., Finkel, S.I., Zee, P.C., Nimodipine potentiates the light-induced suppression of melatonin, 67
Bergk, A., see Weih, M., 207
Bisby, M.A., see Ferri, C.C., 191
Bittner, G.D., see Blanchette, A.R., 147
Blanchette, A.R., Ballinger, M.L., Fishman, H.M., Bittner, G.D., Calcium entry initiates processes that restore a barrier to dye entry in severed earthworm giant axons, 147
Böhme, G.A., see Pratt, J., 143
Botterblom, M.H.A., see Feenstra, M.G.P., 179
Boyd, M.R., see Balijepalli, S., 203
Brückner, L., see Weiss, T., 131
Browne, S.E., see Polidori, M.C., 53
Burgess, C.E., see Zareparsi, S., 140
Büttner, U., see Rambold, H., 75

Cabo, R., see Vega, J.A., 103
Cain, S., see Amir, S., 175
Catalani, A., see Di Giannuario, A., 183
Chen, X.-Q., see Wang, X.-D., 21
Cheng, J.-T., see Yu, W.-J., 99
Cheung, B.S., see Growdon, W.B., 83
Cheung, B.S., see Rebeck, G.W., 155
Chi, T.C., see Yu, W.-J., 99
Chin, W.-T., see Yu, W.-J., 99
Cho, Y.J., see Wie, M.B., 91
Cisek, P., Scott, S.H., An alternative interpretation of population vector rotation in macaque motor cortex, 1
Clark, J.D., see Li, X., 79
Cohen, L.G., see Liepert, J., 33
Curio, G., see Numminen, J., 29

Davis, M.I., Szarowski, D., Turner, J.N., Morrisett, R.A., Shain, W., In vivo activation and in situ BDNF-stimulated nuclear translocation of mitogen-activated/extracellular signal-regulated protein kinase is inhibited by ethanol in the developing rat hippocampus, 95
De Bruin, J.P.C., see Feenstra, M.G.P., 179
Deecke, L., see Lehrner, J.P., 17
Deng, A., see Rebeck, G.W., 155
Dhillon, H.S., see Zhang, D., 57
Di Giannuario, A., Pieretti, S., Catalani, A., Loizzo, A., Orphanin FQ reduces morphine-induced dopamine release in the nucleus accumbens: a microdialysis study in rats, 183
Ding, Y.-Q., Shi, J., Wang, D.-S., Xu, J.-Q., Li, J.-L., Ju, G., Primary afferent fibers of the pelvic nerve terminate in the gracile nucleus of the rat, 211
Dirnagi, U., see Weih, M., 207
Djamgoz, M.B.A., see Angotzi, A.R., 163
Dodds, K., Woolley, A., 107
Dubocovich, M.L., see Benloucif, S., 67
Duxson, M., Woolley, A., 107

Feenstra, M.G.P., Teske, G., Botterblom, M.H.A., De Bruin, J.P.C., Dopamine and noradrenaline release in the prefrontal cortex of rats during classical aversive and appetitive conditioning to a contextual stimulus: interference by novelty effects, 179
Ferri, C.C., Bisby, M.A., Improved survival of injured sciatic nerve Schwann cells in mice lacking the p75 receptor, 191
Finkel, S.I., see Benloucif, S., 67
Fishman, H.M., see Blanchette, A.R., 147
Fujisawa, K., see Noma, T., 45

Gemba, H., Kyuhou, S.-i., Matsuzaki, R.-i., Amino, Y., Cortical field potentials associated with audio-initiated vocalization in monkeys, 49
Greenberg, S.M., see Rebeck, G.W., 155
Groschup, M.H., see Verghese–Nikolakaki, S., 9
Growdon, W.B., Cheung, B.S., Hyman, B.T., Rebeck, G.W., Lack of allelic imbalance in APOE ϵ3/4 brain mRNA expression in Alzheimer's disease, 83
Growdon, W.B., see Rebeck, G.W., 155
Guyot, L.L., see Phillis, J.W., 195

PII: S0304-3940(99)00654-0

Haamedi, S., see Angotzi, A.R., 163
Hallett, M., see Liepert, J., 33
Heinrich, H., see Moll, G.H., 37
Helmchen, C., see Rambold, H., 75
Hirano, J., see Angotzi, A.R., 163
Hoshiyama, M., Kakigi, R., Nagata, O., Peripheral nerve conduction recorded by a micro gradiometer system (micro-SQUID) in humans, 199
Hu, G.-Y., see Wang, X.-D., 21
Hyman, B.T., see Growdon, W.B., 83
Hyman, B.T., see Rebeck, G.W., 155

Ichikawa, M., see Takigami, S., 115
Imai, F., Sawada, M., Suzuki, H., Zlokovic, B.V., Kojima, J., Kuno, S., Nagatsu, T., Nitatori, T., Uchiyama, Y., Kanno, T., Exogenous microglia enter the brain and migrate into ischaemic hippocampal lesions, 127
Imperato, A., see Pratt, J., 143
Isaev, N.K., see Weih, M., 207

Jhoo, W.K., see Wie, M.B., 91
Ju, G., see Ding, Y.-Q., 211
Juang, S.-W., see Yu, W.-J., 99

Kakigi, R., see Hoshiyama, M., 199
Kanno, T., see Imai, F., 127
Kasai, M., Mizumura, K., Endogenous nerve growth factor increases the sensitivity to bradykinin in small dorsal root ganglion neurons of adjuvant inflamed rats, 41
Kim, H.C., see Wie, M.B., 91
Kimura, T., see Takahashi, M.P., 87
Kojima, J., see Imai, F., 127
Kolmac, C., Mitrofanis, J., Organization of the basal forebrain projection to the thalamus in rats, 151
Kramer, P., see Zareparsi, S., 140
Kundtz, A., see Tan, J., 5
Kuno, S., see Imai, F., 127
Kyuhou, S.-i., see Gemba, H., 49

Laska, M., see Lehrner, J.P., 17
Lehrner, J.P., Walla, P., Laska, M., Deecke, L., Different forms of human odor memory: a developmental study, 17
Leonard, J.P., see Wagner, D.A., 187
Li, J.-L., see Ding, Y.-Q., 211
Li, X., Clark, J.D., Morphine tolerance and transcription factor expression in mouse spinal cord tissue, 79
Liepert, J., Oreja-Guevara, C., Cohen, L.G., Tegenthoff, M., Hallett, M., Malin, J.-P., Plasticity of cortical hand muscle representation in patients with hemifacial spasm, 33
Locascio, J., see Rebeck, G.W., 155
Locatelli, A., see Al-Gubory, K.H., 159
Loizzo, A., see Di Giannuario, A., 183
Lovick, T.A., Paul, N.L., Co-localization of GABA with nicotinamide adenine dinucleotide phosphate-dependent diaphorase in neurones in the dorsolateral periaqueductal grey matter of the rat, 167
Lumme, A., see Soinila, S., 13

Malin, J.-P., see Liepert, J., 33
Mann, D.A., see Trowern, A.R., 25
Matsuoka, M., see Takigami, S., 115
Matsuzaki, R.-i., see Gemba, H., 49
Mattson, M.P., see Zhang, D., 57
Mecocci, P., see Polidori, M.C., 53
Megow, D., see Weih, M., 207
Meisel, A., see Weih, M., 207
Michaloudi, H., see Verghese–Nikolakaki, S., 9
Miltner, W.H.R., see Weiss, T., 131
Mitrofanis, J., see Kolmac, C., 151
Mizumura, K., see Kasai, M., 41
Moll, G.H., Wischer, S., Heinrich, H., Tergau, F., Paulus, W., Rothenberger, A., Deficient motor control in children with tic disorder: evidence from transcranial magnetic stimulation, 37
Molotchnikoff, S., see Shumikhina, S., 135
Mori, T., see Asoh, S., 62
Mori, Y., see Takigami, S., 115
Morrisett, R.A., see Davis, M.I., 95
Mullan, M., see Tan, J., 5
Murgia, R., see Angotzi, A.R., 163

Nagata, O., see Hoshiyama, M., 199
Nagatsu, T., see Imai, F., 127
Nakazawa, A., see Noma, T., 45
Navarro, X., see Pascual, R., 171
Nitatori, T., see Imai, F., 127
Noma, T., Yoon, Y.-S., Yamashiro, Y., Fujisawa, K., Nakazawa, A., Regulation of *NeuroD* expression by activation of the protein kinase-C pathway in Y79 human retinoblastoma cells, 45
Numminen, J., Curio, G., Differential effects of overt, covert and replayed speech on vowel-evoked responses of the human auditory cortex, 29
Nutt, J., see Zareparsi, S., 140

Ohta, S., see Asoh, S., 62
O'Regan, M.H., see Phillis, J.W., 195
Oreja-Guevara, C., see Liepert, J., 33
Osada, T., see Takigami, S., 115

Papadopoulos, G.C., see Verghese–Nikolakaki, S., 9
Pascual, R., Verdú, E., Valero, A., Navarro, X., Early social isolation decreases the expression of calbindin D-28k in rat cerebellar Purkinje cells, 171
Paul, N.L., see Lovick, T.A., 167
Paulus, W., see Moll, G.H., 37
Payami, H., see Zareparsi, S., 140
Phillis, J.W., Song, D., Guyot, L.L., O'Regan, M.H., Lactate reduces amino acid release and fuels recovery of function in the ischemic brain, 195
Pieretti, S., see Di Giannuario, A., 183
Placzek, A., see Tan, J., 5
Polidori, M.C., Mecocci, P., Browne, S.E., Senin, U., Beal, M.F., Oxidative damage to mitochondrial DNA in Huntington's disease parietal cortex, 53
Polymenidou, M., see Verghese–Nikolakaki, S., 9
Porcher, C., Bagnol, D., Watson, S.J., Opioid peptide mRNA expression in the colon of the rat, 111
Prasad, R.M., see Zhang, D., 57
Pratt, J., Archambaud, C., Böhme, G.A., Roux, M., Rataud, J., Imperato, A., Stutzmann, J.-M., The effect of riluzole and mannitol on cerebral oedema after cryogenic injury in the mouse, 143

Rambold, H., Helmchen, C., Büttner, U., Unilateral muscimol inactivations of the interstitial nucleus of Cajal in the alert rhesus monkey do not elicit seesaw nystagmus, 75

Rataud, J., see Pratt, J., 143
Ravindranath, V., see Balijepalli, S., 203
Rebeck, G.W., Cheung, B.S., Growdon, W.B., Deng, A., Akuthota, P., Locascio, J., Greenberg, S.M., Hyman, B.T., Lack of independent associations of apolipoprotein E promoter and intron 1 polymorphisms with Alzheimer's disease, 155
Rebeck, G.W., see Growdon, W.B., 83
Represa, J., see Vega, J.A., 103
Riepe, M., see Weih, M., 207
Robinson, B., see Amir, S., 175
Rodriguez, S., see Vega, J.A., 103
Rothenberger, A., see Moll, G.H., 37
Roux, M., see Pratt, J., 143
Ruscher, K., see Weih, M., 207

Sadeniemi, M., see Soinila, S., 13
Sakaki, Y., see Zhou, W.-L., 123
Sakoda, S., see Takahashi, M.P., 87
San José, I., see Vega, J.A., 103
Sawada, M., see Imai, F., 127
Schalling, M., see Zareparsi, S., 140
Scott, S.H., see Cisek, P., 1
Senin, U., see Polidori, M.C., 53
Shain, W., see Davis, M.I., 95
Sheard, P., Woolley, A., 107
Shi, J., see Ding, Y.-Q., 211
Shumikhina, S., Molotchnikoff, S., Pulvinar participates in synchronizing neural assemblies in the visual cortex, in cats, 135
Sklaviadis, T., see Verghese–Nikolakaki, S., 9
Soinila, S., Sadeniemi, M., Lumme, A., Vanhatalo, S., Age-related augmentation of the dehydration-induced increase in the supraoptic nitric oxide synthase activity in rats, 13
Song, D., see Phillis, J.W., 195
Stewart, J., see Amir, S., 175
Stutzmann, J.-M., see Pratt, J., 143
Sugioka, M., see Zhou, W.-L., 123
Sullivan, J., see Amir, S., 175
Suzuki, H., see Imai, F., 127
Szarowski, D., see Davis, M.I., 95

Takahashi, M.P., Kimura, T., Yanagihara, T., Sakoda, S., Calcium increase in mouse skeletal muscles by triparanol: a drug to induce myotonic dystrophy-like clinical manifestations, 87
Takigami, S., Osada, T., Yoshida-Matsuoka, J., Matsuoka, M., Mori, Y., Ichikawa, M., The expressed localization of rat putative pheromone receptors, 115
Tan, J., Town, T., Placzek, A., Kundtz, A., Yu, H., Mullan, M., Bcl-x_L inhibits apoptosis and necrosis produced by Alzheimer's β-amyloid$_{1-40}$ peptide in PC12 cells, 5
Taub, E., see Weiss, T., 131
Tegenthoff, M., see Liepert, J., 33
Tergau, F., see Moll, G.H., 37
Teske, G., see Feenstra, M.G.P., 179
Town, T., see Tan, J., 5
Trowern, A.R., Mann, D.A., A bi-functional activator/repressor element required for transcriptional activity of the human UCH-L1 gene assembles a neuron-specific protein: single-strand DNA complex, 25
Tsurusaki, M., see Akasu, T., 119
Turner, J.N., see Davis, M.I., 95

Uchiyama, Y., see Imai, F., 127

Valero, A., see Pascual, R., 171
Vallerga, S., see Angotzi, A.R., 163
Vanhatalo, S., see Soinila, S., 13
Vega, J.A., San José, I., Cabo, R., Rodriguez, S., Represa, J., Trks and p75 genes are differentially expressed in the inner ear of human embryos. What may Trks and p75 null mutant mice suggest on human development?, 103
Verdú, E., see Pascual, R., 171
Verghese–Nikolakaki, S., Michaloudi, H., Polymenidou, M., Groschup, M.H., Papadopoulos, G.C., Sklaviadis, T., Expression of the prion protein in the rat forebrain – an immunohistochemical study, 9
Victorov, I.V., see Weih, M., 207

Wagner, D.A., Leonard, J.P., Protein kinase C potentiation of currents from mouse $\zeta 1/\varepsilon 2$ NMDA receptors expressed in *Xenopus* oocytes depends on f-actin/g-actin cycling, 187
Walla, P., see Lehrner, J.P., 17
Wang, D.-S., see Ding, Y.-Q., 211
Wang, X.-D., Chen, X.-Q., Yang, , H.-H., Hu, G.-Y., Comparison of the effects of cholinesterase inhibitors on [^{3}H]MK-801 binding in rat cerebral cortex, 21
Watson, S.J., see Porcher, C., 111
Weih, M., Bergk, A., Isaev, N.K., Ruscher, K., Megow, D., Riepe, M., Meisel, A., Victorov, I.V., Dirnagi, U., Induction of ischemic tolerance in rat cortical neurons by 3-nitropropionic acid: chemical preconditioning, 207
Weiss, T., Miltner, W.H.R., Adler, T., Brückner, L., Taub, E., Decrease in phantom limb pain associated with prosthesis-induced increased use of an amputation stump in humans, 131
Wie, M.B., Cho, Y.J., Jhoo, W.K., Kim, H.C., Phenidone attenuates oxygen/glucose deprivation-induced neurotoxicity by antioxidant and antiapoptotic action in mouse cortical cultures, 91
Wirdefeldt, K., see Zareparsi, S., 140
Wischer, S., see Moll, G.H., 37
Woolley, A., Sheard, P., Dodds, K., Duxson, M., Alpha motoneurons are present in normal numbers but with reduced soma size in neurotrophin-3 knockout mice, 107
Wu, T.-J., see Yu, W.-J., 99

Xu, J.-Q., see Ding, Y.-Q., 211

Yamashiro, Y., see Noma, T., 45
Yamashita, M., see Zhou, W.-L., 123
Yanagihara, T., see Takahashi, M.P., 87
Yang, , H.-H., see Wang, X.-D., 21
Yoon, Y.-S., see Noma, T., 45
Yoshida-Matsuoka, J., see Takigami, S., 115
Yu, H., see Tan, J., 5
Yu, W.-J., Juang, S.-W., Chin, W.-T., Chi, T.C., Wu, T.-J., Cheng, J.-T., Decrease of nitric oxide synthase in the cerebrocortex of streptozotocin-induced diabetic rats, 99
Yurek, D.M., see Zhang, D., 57

Zareparsi, S., Wirdefeldt, K., Burgess, C.E., Nutt, J., Kramer, P., Schalling, M., Payami, H., Exclusion of dominant mutations within the FTDP-17 locus on chromosome 17 for Parkinson's disease, 140
Zee, P.C., see Benloucif, S., 67
Zhang, D., Dhillon, H.S., Mattson, M.P., Yurek, D.M., Prasad, R.M.,

Immunohistochemical detection of the lipid peroxidation product 4-hydroxynonenal after experimental brain injury in the rat, 57
Zhou, W.-L., Sugioka, M., Sakaki, Y., Yamashita, M., Regulation of capacitative Ca^{2+} entry by tyrosine phosphorylation in the neural retina of chick embryo, 123
Zlokovic, B.V., see Imai, F., 127